

## **FNRS post-doctoral researcher (CR) grant**

ELENA GUSAREVA - SEMAPHORE ID 10931306

### **“Developing methodologies and a standard protocol for meta Genome-Wide Association Interaction (GWAI) studies”**

#### **REFERENCE LIST**

1. Franke A, et al. Genome-wide meta-analysis increases to 71 the number of confirmed Crohn's disease susceptibility loci. *Nat Genet.* 2010;42(12):1118-25.
2. Anderson CA et al. Meta-analysis identifies 29 additional ulcerative colitis risk loci, increasing the number of confirmed associations to 47. *Nat Genet.* 2011;43(3):246-52.
3. Moore JH. A global view of epistasis. *Nat Genet* 2005;37(1):13-4.
4. Templeton AR: Epistasis and complex traits; in Wolf J, Brodie III B, Wade M (eds): *Epistasis and the Evolutionary Process*. New York, Oxford University Press, 2000.
5. Phillips PC. Epistasis — the essential role of gene interactions in the structure and evolution of genetic systems. *Nat Rev Genet.* 2008;9(11):855-67. Review.
6. Kang G. et al. An entropy-based approach for testing genetic epistasis underlying complex diseases. *J Theor Biol* 2008;250(2):362-74.
7. Van Steen K. Travelling the world of gene-gene interactions – invited submission to Briefings in Bioinformatics (invited paper). *Brief Bioinform* 2012;13(1):1-19.
8. Laird NL, Mosteller F. Some Statistical Methods for Combining Experimental Results. *Int J Technol Assess Health Care* 1990;6(1):5-30.
9. Cantor RM et al. Prioritizing GWAS Results: A Review of Statistical Methods and Recommendations for Their Application. *Am J Hum Genet* 2010; 86(1):6-22.
10. de Bakker PI, et al. Practical aspects of imputation-driven meta-analysis of genome-wide association studies. *Hum Mol Genet* 2008;17(R2):R122-8.
11. Manning AK, et al. Meta-analysis of gene-environment interaction: joint estimation of SNP and SNP  $\times$  environment regression coefficients. *Genet epidemiol* 2011;35(1):11-8.
12. Cattaert T, et al. Model-Based Multifactor Dimensionality Reduction for detecting gene-gene interactions in case-control data in the absence and presence of noise *Ann Hum Genet* 2011 Jan;75(1):78-89.

13. Mahachie John JM, et al. Lower-Order Effects Adjustment in Quantitative Traits Model-Based Multifactor Dimensionality Reduction. PLoS One 2012a;7(1):e29594.
14. Mahachie John JM, Gusareva E, Van Lishout F, Van Steen K. A robustness study to investigate the performance of parametric and non-parametric tests used in Model-Based Multifactor Dimensionality Reduction Epistasis Detection (2012b) – circulating among co-authors
15. Pereira TV, et al. Discovery properties of genome-wide association signals from cumulatively combined data sets. Am J Epidemiol 2009;170(10):1197-206.
16. Pereira TV, et al. Strategies for genetic model specification in the screening of genome-wide meta-analysis signals for further replication J Clin Epidemiol. 2011;64(10):1060-9.
17. Minelli C, et al. Bayesian implementation of a genetic model-free approach to the meta-analysis of genetic association studies. Stat Med. 2005;24(24):3845-61
18. Gusereva et al. GENOME-WIDE ASSOCIATION INTERACTION ANALYSIS FOR COMPLEX DISEASES: an example on Crohn's disease. 2012a – circulating among co-authors.
19. Gusereva et al. 2012b – under construction (invited paper in Journal of Allergy; Special issue on "Phenotype Diversity and Patient Stratification in Asthma," invited contribution to Human Heridity, due March 2, 2012)
20. Cattaert T, et al. FAM-MDR: a flexible family-based multifactor dimensionality reduction technique to detect epistasis using related individuals. PLoS One 2010;5(4):e10304.
21. Cordell HJ. Epistasis: what it means, what it doesn't mean, and statistical methods to detect it in humans. Hum Mol Genet 2002;11(20):2463-8. Review.
22. Conneely KN, Boehnke M. Meta-analysis of genetic association studies and adjustment for multiple testing of correlated SNPs and traits. Genet Epidemiol 2010;34(7):739-46.
23. Van Lishout F, Cattaert T, Mahachie John JM, Gusareva E, Urrea V, Cleynen I, Théâtre E, Charloteaux B, Kvasz A, Calle ML, Wehenkel L, Van Steen K. An Efficient Algorithm to Perform Multiple Testing in Epistasis Screening – circulating among co-authors.